

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1	(imag\$3 and (detect\$3 or recogni\$5 or identif\$3) and (portion or part or fac\$3) and shoot\$4 and (camera or video or CCD oe sensor) and shot\$3 and (different or various) and (calculat\$3 or comput\$3 or measur\$4) and reliabil\$4).CLM.	US-PGPU B	AND	ON	2007/09/17 12:30

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1	(imag\$3 and (detect\$3 or recogni\$5 or identif\$3) and (portion or part or fac\$3) and shoot\$4 and (camera or video or CCD oe sensor) and shot\$3 and (different or various) and (calculat\$3 or comput\$3 or measur\$4) and reliabil\$4).CLM.	US-PGPU B	AND	ON	2007/09/17 12:37
L2	8337	((382/103,115,118,149, 185,190,236,287) or (348/94,125,152,154,155, 208.1,208.2,208.16,347, 352)).CCLS.	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	OFF	2007/09/17 12:39
L3	6912	2 and imag\$3 and (detect\$3 or recogni\$3 or identif\$3)	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2007/09/17 12:40
L4	6523	3 and (calculat\$3 or comput\$5 or measur\$4 or evaluat\$3)	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2007/09/17 12:44

EAST Search History

L5	642	4 and (shoot\$4 or shot) and (portion or part or fac\$3 or body)	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2007/09/17 12:48
L7	113	5 and reliabilit\$4	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2007/09/17 12:42
L8	107	7 and (camera or video or CCD or sensor)	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2007/09/17 12:47
L9	18	8 and ((reliabilit\$4) near4 (calculat\$3 or comput\$5 or measur\$4 or evaluat\$3))	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2007/09/17 12:48

EAST Search History

L10	3	9 and ((shoot\$4 or shot) near3 (condition\$3))	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2007/09/17 12:47
L11	2384	2 and imag\$3 near3 portion\$3	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2007/09/17 12:47
L12	2122	11 and (camera or video or CCD or sensor)	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2007/09/17 12:54
L13	32	12 and ((reliabilit\$4) near4 (calculat\$3 or comput\$5 or measur\$4 or evaluat\$3))	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2007/09/17 12:54

EAST Search History

L14	7	13 and (shoot\$4 or shot) and (portion or part or fac\$3 or body)	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2007/09/17 12:53
L15	4	14 and quantit\$4	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2007/09/17 13:14
L16	4	13 and ((different or various) near3 (method))	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2007/09/17 12:52
L17	835	11 and object\$3 near3 detect\$3	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2007/09/17 12:53

EAST Search History

L18	5	13 and ((shoot\$4 or shot) near3 (imag\$3))	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2007/09/17 12:54
L19	5	18 and ((reliabilit\$4) near4 (calculat\$3 or comput\$5 or measur\$4 or evaluat\$3))	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2007/09/17 12:54
L20	5	19 and (camera or video or CCD or sensor)	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2007/09/17 12:56
L21	5	20 and (monitor\$4 or display\$4 or screen\$4)	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2007/09/17 13:14

EAST Search History

L22	2	21 and quantit\$4	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2007/09/17 13:15
-----	---	-------------------	--	----	----	---------------------


[Home](#) | [Login](#) | [Logout](#) | [Access Information](#) | [Alerts](#) | [Purchase History](#) | [Cart](#)

Welcome United States Patent and Trademark Office

Search Results

[BROWSE](#)[SEARCH](#)[IEEE XPLORE GUIDE](#)

Results for "((imag* <and> detect* <and> camera <and> calculat* <and> reliabilit*)<in&..."

☒ e-mail

Your search matched 4 of 1643271 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.

» Search Options

[View Session History](#)[New Search](#)

Modify Search

((imag* <and> detect* <and> camera <and> calculat* <and> reliabilit*)<in>metadata)

☐ Check to search only within this results setDisplay Format: ☒ Citation ☐ Citation & Abstract

» Key

IEEE JNL IEEE Journal or Magazine

IET JNL IET Journal or Magazine

IEEE CNF IEEE Conference Proceeding

IET CNF IET Conference Proceeding

IEEE STD IEEE Standard

[Select All](#) [Deselect All](#)

- ☐ 1. **Digital "bullet scratches" for images**
Lukas, J.; Fridrich, J.; Goljan, M.;
[Image Processing, 2005. ICIP 2005. IEEE International Conference on](#)
Volume 3, 11-14 Sept. 2005 Page(s):III - 65-8
Digital Object Identifier 10.1109/ICIP.2005.1530329
[AbstractPlus](#) | Full Text: [PDF](#)(304 KB) IEEE CNF
[Rights and Permissions](#)
- ☐ 2. **Face detection for automatic exposure control in handheld camera**
Ming Yang; Ying Wu; Crenshaw, J.; Augustine, B.; Mareachen, R.;
[Computer Vision Systems, 2006. ICVS '06. IEEE International Conference on](#)
04-07 Jan. 2006 Page(s):17 - 17
Digital Object Identifier 10.1109/ICVS.2006.26
[AbstractPlus](#) | Full Text: [PDF](#)(800 KB) IEEE CNF
[Rights and Permissions](#)
- ☐ 3. **Statistical characterization of the visual characteristics of painted lane m**
Kluge, K.; Johnson, G.;
[Intelligent Vehicles '95 Symposium., Proceedings of the](#)
25-26 Sept. 1995 Page(s):488 - 493
Digital Object Identifier 10.1109/IVS.1995.528330
[AbstractPlus](#) | Full Text: [PDF](#)(580 KB) IEEE CNF
[Rights and Permissions](#)
- ☐ 4. **Reliable path for virtual endoscopy: ensuring complete examination of hi**
Taosong He; Lichan Hong; Dongqing Chen; Zhengrong Liang;
[Visualization and Computer Graphics, IEEE Transactions on](#)
Volume 7, [Issue 4](#), Oct.-Dec. 2001 Page(s):333 - 342
Digital Object Identifier 10.1109/2945.965347
[AbstractPlus](#) | [References](#) | Full Text: [PDF](#)(538 KB) IEEE JNL
[Rights and Permissions](#)

 Indexed by
[Help](#) [Contact Us](#) [Privacy &](#)

© Copyright 2005 IEEE -

Day : Monday
Date: 9/17/2007

Time: 11:55:39


PALM INTRANET

Inventor Name Search Result

Your Search was:

Last Name = HORIE

First Name = DAISAKU

Application#	Patent#	Status	Date Filed	Title	Inventor Name
09163266	6480624	150	09/29/1998	COLOR DISCRIMINATING APPARATUS AND METHOD	HORIE, DAISAKU
09221418	6720997	150	12/28/1998	IMAGE GENERATING APPARATUS	HORIE, DAISAKU
09325356	6735341	150	06/04/1999	IMAGE PROCESSING DEVICE AND METHOD AND RECORDING MEDIUM FOR RECORDING IMAGE PROCESSING PROGRAM FOR SAME	HORIE, DAISAKU
09447290	6611619	150	11/23/1999	IMAGE PROCESSING APPARATUS, IMAGE PROCESSING METHOD, AND RECORDING MEDIUM ON WHICH AN IMAGE PROCESSING PROGRAM IS RECORDED	HORIE, DAISAKU
09476363	Not Issued	161	01/03/2000	CAMERA AND A TAKEN-IMAGE PROCESSING SYSTEM	HORIE, DAISAKU
09531494	7065261	150	03/20/2000	IMAGE PROCESSING DEVICE AND IMAGE PROCESSING METHOD FOR CORRECTION OF IMAGE DISTORTION	HORIE, DAISAKU
09599509	6628833	150	06/23/2000	IMAGE PROCESSING APPARATUS, IMAGE PROCESSING METHOD, AND RECORDING MEDIUM WITH IMAGE PROCESSING PROGRAM TO PROCESS IMAGE ACCORDING TO INPUT IMAGE	HORIE, DAISAKU
09610654	6804413	150	07/05/2000	IMAGE PROCESSING DEVICE AND METHOD FOR	HORIE, DAISAKU

				COMBINING IMAGES OBTAINED FROM SEPARATE- PICKUP	
<u>09708048</u>	Not Issued	161	11/08/2000	Image processing apparatus, image processing method, and computer program product for image processing	HORIE, DAISAKU
<u>09774709</u>	<u>7123291</u>	150	02/01/2001	IMAGE PROCESSING DEVICE, IMAGE PROCESSING METHOD AND IMAGE PROCESSING PROGRAM FOR JOINING A PLURALITY OF DIVIDED IMAGES	HORIE, DAISAKU
<u>09940623</u>	<u>7003160</u>	150	08/29/2001	IMAGE PROCESSING APPARATUS, IMAGE PROCESSING METHOD, AND COMPUTER READABLE RECORDING MEDIUM RECORDING IMAGE PROCESSING PROGRAM FOR PROCESSING IMAGE OBTAINED BY PICKING UP OR READING ORIGINAL	HORIE, DAISAKU
<u>09941838</u>	<u>7079265</u>	150	08/30/2001	DISTORTION CORRECTION DEVICE FOR CORRECTING IMAGED OBJECT TO PRODUCE PLANE IMAGE WITHOUT DISTORTION	HORIE, DAISAKU
<u>10044503</u>	<u>7076116</u>	150	01/10/2002	IMAGE PROCESSING APPARATUS	HORIE, DAISAKU
<u>10109397</u>	<u>6973220</u>	150	03/28/2002	IMAGE PROCESSING METHOD, IMAGE PROCESSING APPARATUS AND IMAGE PROCESSING PROGRAM	HORIE, DAISAKU
<u>10413662</u>	Not Issued	121	04/15/2003	Intruding object detection device using background difference method	HORIE, DAISAKU
<u>10452426</u>	Not Issued	61	06/02/2003	Method for detecting object formed of regions from image	HORIE, DAISAKU
<u>10777363</u>	Not Issued	98	02/12/2004	OBJECT DETECTION APPARATUS, OBJECT DETECTION METHOD AND RECORDING MEDIUM	HORIE, DAISAKU
<u>10786775</u>	Not Issued	71	02/25/2004	Object detection apparatus, object detection method and computer program product	HORIE, DAISAKU

<u>10956792</u>	Not Issued	61	10/01/2004	Monitoring system	HORIE, DAISAKU
-----------------	---------------	----	------------	-------------------	----------------

Inventor Search Completed: No Records to Display.

Search Another: Inventor	Last Name	First Name	Search
	<input type="text" value="Horie"/>	<input type="text" value="Daisaku"/>	

To go back use Back button on your browser toolbar.

Back to [PALM](#) | [ASSIGNMENT](#) | [OASIS](#) | [Home page](#)

Day : Monday
Date: 9/17/2007


PALM INTRANET

Time: 11:56:41

Inventor Name Search Result

Your Search was:

Last Name = NAKANO

First Name = YUUSUKE

Application#	Patent#	Status	Date Filed	Title	Inventor Name
09589109	6934406	150	06/08/2000	IMAGE PROCESSING APPARATUS, IMAGE PROCESSING METHOD, AND RECORDING MEDIUM RECORDED WITH IMAGE PROCESSING PROGRAM TO PROCESS IMAGE TAKING INTO CONSIDERATION DIFFERENCE IN IMAGE PICKUP CONDITION USING AAM	NAKANO, YUUSUKE
09757654	Not Issued	161	01/11/2001	Image processing apparatus for restoring degraded image data	NAKANO, YUUSUKE
09798968	Not Issued	41	03/06/2001	Method and apparatus for data processing recognizing an object represented as two-dimensional image	NAKANO, YUUSUKE
10104500	7054502	150	03/22/2002	IMAGE RESTORATION APPARATUS BY THE ITERATION METHOD	NAKANO, YUUSUKE
10114164	7190395	150	04/02/2002	APPARATUS, METHOD, PROGRAM AND RECORDING MEDIUM FOR IMAGE RESTORATION	NAKANO, YUUSUKE
10452426	Not Issued	61	06/02/2003	Method for detecting object formed of regions from image	NAKANO, YUUSUKE
10786775	Not Issued	71	02/25/2004	Object detection apparatus, object detection method and computer program product	NAKANO, YUUSUKE
10953976	7221779	150	09/29/2004	OBJECT MEASURING APPARATUS, OBJECT MEASURING METHOD, AND PROGRAM PRODUCT	NAKANO, YUUSUKE
10956792	Not	61	10/01/2004	Monitoring system	NAKANO,

	Issued				YUUSUKE
11375146	Not Issued	30	03/14/2006	Eye opening degree estimating apparatus	NAKANO, YUUSUKE
11376739	Not Issued	25	03/16/2006	Optimum number of teeth setting method for helical gear pair and helical gear pair manufactured by this method	NAKANO, YUUSUKE
11507351	Not Issued	20	08/21/2006	Authentication apparatus and authentication method	NAKANO, YUUSUKE
11507830	Not Issued	25	08/22/2006	Authentication apparatus and authentication method	NAKANO, YUUSUKE

Inventor Search Completed: No Records to Display.

Search Another: Inventor

Last Name	First Name	
<input type="text" value="Nakano"/>	<input type="text" value="Yuusuke"/>	<input type="button" value="Search"/>

To go back use Back button on your browser toolbar.

Back to [PALM](#) | [ASSIGNMENT](#) | [OASIS](#) | [Home page](#)